

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Currently amended) A method to be executed as part of a process for creating an executable configuration program that comprises multiple steps that are successively executed and wherein associated with each of the steps are user-selectable options, the method comprising:

creating and storing in a repository a rule that during execution of the configuration program determines which of the user-selectable options for a step are displayed when a specified user-selectable option of a previous step is selected; and

binding the rule in the repository to the specified user-selectable option so that during execution of the configuration program the rule is executed when the specified user-selectable option is selected.

2. (Original) The method of claim 1 wherein the binding of the rule to the specified user-selectable option is performed by virtue of a designer selecting a user-selectable option for which to create the rule.

3. (Currently amended) The method of claim 1 further comprising:
creating and storing in the repository a textual explanation of the step that describes available user-selectable options for the step; and
binding the textual explanation in the repository to the step so that during execution of the configuration program the textual explanation of the step is displayed.

4. (Original) The method of claim 3 wherein creating the textual explanation comprises translating the textual explanation into at least one different language.

5. (Original) The method of claim 1 further comprising evaluating the stability of a configured software application by executing the software application using a simulated user-selectable option.

6. (Currently amended) A system comprising:
a computer network;
a service delivery device coupled to the network, the service delivery device including a processor and memory storing instructions that, in response to receiving a first type of request for access to a service, cause the processor to:
create an executable configuration program that comprises multiple steps that are successively executed and wherein associated with each of the steps are user-selectable options;
create and store in a repository a rule that during execution of the configuration program determines which of the user-selectable options for a step are displayed when a specified user-selectable option of a previous step is selected; and
bind the rule in the repository to the specified user-selectable option so that during execution of the configuration program the rule is executed when the specified user-selectable option is selected.

7. (Original) The system of claim 6 wherein the memory stores instructions that, in response to receiving the first type of request, cause the processor to bind the rule to the specified user-selectable option by providing an ability to select a user-selectable option for which to create the rule.

8. (Currently amended) The system of claim 6 wherein the memory stores instructions that, in response to receiving the first type of request, cause the processor to:

create and store in the repository a textual explanation of the step that describes available user-selectable options for the step; and

bind the textual explanation in the repository to the step so that during execution of the configuration program the textual explanation of the step is displayed.

9. (Original) The system of claim 8 wherein the memory stores instructions that, in response to receiving the first type of request, cause the processor to translate the textual explanation into at least one different language.

10. (Original) The system of claim 6 wherein the memory stores instructions that, in response to receiving the first type of request, cause the processor to evaluate the stability of a configured software application by executing the software application using a simulated user-selectable option.

11. (Currently amended) An article comprising a machine-readable medium storing machine-readable instructions that, when applied to the machine, cause the machine to:

create an executable configuration program that comprises multiple steps that are successively executed and wherein associated with each of the steps are user-selectable options;

create and store in a repository a rule that during execution of the configuration program determines which of the user-selectable options for a step are displayed when a specified user-selectable option of a previous step is selected; and

bind the rule in the repository to the specified user-selectable option so that during execution of the configuration program the rule is executed when the specified user-selectable option is selected.

12. (Original) The article of claim 11 including instructions that, when applied to the machine, cause the machine to bind the rule to the specified user-selectable option by providing an ability to select a user-selectable option for which to create the rule.

13. (Currently amended) The article of claim 11 including instructions that, when applied to the machine, cause the machine to:

create and store in the repository a textual explanation of the step that describes available user-selectable options for the step; and

bind the textual explanation in the repository to the step so that during execution of the configuration program the textual explanation of the step is displayed.

14. (Original) The article of claim 13 including instructions that, when applied to the machine, cause the machine to translate the textual explanation into at least one different language.

15. (Original) The article of claim 13 including instructions that, when applied to the machine, cause the machine to evaluate the stability of a configured software application by executing the software application using a simulated user-selectable option.